


# COMMON SEAT STYLES




Gs4  
GS6

GS5

GS7

GS606

Gs50  
GS60



GS13

GS9

GS92

GS9S

## FEATURES & BENEFITS:

- ▶ Stationary Seats for metric shaft sizes
- ▶ GS4 / GS5 / GS6 / GS7 / GS9 / GS50 / GS60 available in Alumina Ceramic, Stainless Steel, Silicon Carbide, Tungsten Carbide
- ▶ GS606 / GS13 / GS92 typically available in carbon
- ▶ Face shrink - fitted version of GS4 / GS5 / GS6 / GS9 available as GS4S / GS5S / GS6S / GS9S

d	Gs4 / Gs5 / GS7		Gs6 / Gs60 / GS606		Gs13		Gs9 / Gs92 / GS9S		G50	
	D1	L1	D1	L1	D1	L1	D1	L1	D1	L1
10	19.2	6.6	21	6.6	19.2	7.1	21	10.0	24.60	9.0
12	21.6	5.6	23	6.6	21.6	7.6	23	10.0	27.80	9.0
14	24.6	5.6	25	6.6	24.6	7.6	25	10.0	30.95	10.5
15	24.6	6.6	27	6.6	24.6	9.0	27	10.0	30.95	10.5
16	28.0	7.5	27	6.6	28.0	9.0	27	10.0	30.95	10.5
18	30.0	8.0	33	7.5	30.0	10.0	33	11.5	34.15	10.5
20	35.0	7.5	35	7.5	35.0	9.5	35	11.5	35.70	10.5
22	35.0	7.5	37	7.5	35.0	9.5	37	11.5	37.30	10.5
24	38.0	7.5	39	7.5	38.0	9.5	39	11.5	40.50	10.5
25	38.0	7.5	40	7.5	38.0	11.0	40	11.5	40.50	10.5
28	42.0	9.0	43	7.5	42.0	11.0	43	11.5	47.65	12.0
30	45.0	10.5	45	7.5	45.0	11.0	45	11.5	50.80	12.0
32	48.0	10.5	48	7.5	48.0	11.0	48	11.5	50.80	12.0
33	50.0	11.0	48	7.5	50.0	11.5	48	11.5	54.00	12.0
35	52.0	11.0	50	7.5	52.0	11.5	50	11.5	54.00	12.0
38	55.0	10.3	56	9.0	55.0	11.5	56	14.0	57.15	12.0
40	58.0	10.8	58	9.0	58.0	11.5	58	14.0	60.35	12.0
42	60.0	12.0	61	9.0	60.0	14.3	61	14.0	63.50	12.0
43	62.0	12.0	61	9.0	62.0	14.3	61	14.0	63.50	12.0
45	64.0	11.6	63	9.0	64.0	14.3	63	14.0	63.50	12.0
48	68.4	11.6	66	9.0	68.4	14.3	66	14.0	66.70	12.0
50	69.3	11.6	70	9.5	69.3	14.3	70	15.0	69.85	13.5
53	72.3	12.3	73	11.0	72.3	14.3	73	15.0	73.05	13.5
55	75.4	13.3	75	11.0	75.4	15.3	75	15.0	76.20	13.5
58	78.4	13.3	78	11.0	78.4	15.3	78	15.0	79.40	13.5
60	80.4	13.3	80	11.0	80.4	15.3	80	15.0	79.40	13.5
63	83.4	13.3	83	11.0	83.4	15.3	83	15.0	82.50	13.5
65	85.4	13.0	85	11.0	85.4	15.3	85	15.0	92.10	16.0
68	91.5	13.7	90	11.3	91.5	16.0	90	18.0	95.25	16.0
70	92.0	13.0	92	11.3	92.0	15.3	92	18.0	95.25	16.0
75	99.0	14.0	97	11.3	99.0	15.3	97	18.0	101.60	16.0
80	104.0	15.0	105	12.0	104.0	16.3	105	18.2	114.30	20.0
85	109.0	14.8	110	14.0	109.0	16.3	110	18.2	117.50	20.0
90	114.0	14.8	115	14.0	114.0	16.3	115	18.2	123.85	20.0
95	120.3	15.8	120	14.0	120.3	17.3	120	17.2	127.00	20.0
100	123.3	15.8	125	14.0	123.3	17.3	125	17.2	133.35	20.0